

Department of Higher Education
**SUBDIVISIONAL GOVERNMENT DEGREE COLLEGE,
NAUHATTA, (DEHRI) ROHTAS**

Tender Document

**For
Supply of Furniture
Tender No.-SGDC/01/08/2019**

**Principal
SGDC, NAUHATTA, ROHTAS**

IMPORTANT INFORMATION

1. Non-Refundable Tender Cost:

Rs. 1000/- (One Thousand Only) through demand draft from a Nationalized Bank, drawn in favour of **“Principal, Subdivisional Government Degree College, Nauhatta, Dehri (Rohtas) Payable at “Dehri on Sone”.**

2. EMD:

Rs. 10000/- (Ten thousand) in the form of demand Draft from a nationalized bank in favour of **Principal, Subdivisional Government Degree College, Nauhatta, Dehri (Rohtas) Payable at “Dehri on sone”.**

3. Last Date of Submission of Tender Documents:

10/09/2019 in the office of the **Principal, Subdivisional Government Degree College, Nauhatta, Dehri (Rohtas)**

4. Opening date of Tender is 11th September 2019.

5. Address for Correspondence and Clarification

Principal

Subdivisional Government Degree College, Nauhatta, Dehri (Rohtas)

E-Mail. – sdgdcollegenauhatta@gmail.com

sanjaykumartripathi1910@gmail.com

Part. I- Technical Bid

A. PLEASE NOTE THE FOLLOWING TERMS AND CONDITIONS FURNITURE

1. The bidder need to submit DD of **Rs. 10,000/-** (Ten Thousand only) in favour of “**Subdivisional Government Degree College, Nauhatta, Dehri (Rohtas)**”
Payable at **Dehri on sone** along with the Technical Bid otherwise their tender will be rejected.
2. The tender will be opened on scheduled date and time as notified with tender document and the bidder or their authorized representative may be present during opening of the tender. Absence of bidder or their authorized representatives will not be a cause for rejection or non-validation of tender process.
3. Tender received after due date and time will not be entertained under any circumstances.
4. Only Original Equipment Manufacturer/ Authorized Dealer for last 3 years can participate: Name of the manufacturer/Mark/Brand should be mentioned in each item or equipment.
5. Similar experience of supplying items since 02 years at renowned Colleges, Universities of repute/ Govt. depts./ PSUS, abroad will be preferred. The bidder must have one single order of at least 25 Lakh.
6. The tender must include complete detailed specifications supported by printed Literature of the equipment.
7. The rate quoted should be F.O.R to destination inclusive of all taxes, installation, commissioning and successful demonstration of the items supplied (wherever applicable)
8. After installation and commissioning the agreed payment will be released.
9. Any request for alternation / correction in the specification and price in the tender document will not be entertained, once submitted.
10. Payment will be released only after delivery, verification of quality, specification and successful installation and commissioning at institute.
11. Any kind of defect in items or deviation from the specification if detected and reported, the supplier should replace the defected item immediately.
12. **Subdivisional Government Degree College, Nauhatta, Dehri (Rohtas)** reserves the rights to select entire or the part items of the package on recommendation of the purchase committee.
13. **Subdivisional Government Degree College, Nauhatta, Dehri (Rohtas)** reserves the rights to accept the lowest or any tender and of rejecting all or any tender without assigning any reason for the same.
14. Request for the supply of any substitute for any items or equipment other than mentioned in the tender will not be entertained.
15. The entire dispute with regard to the contract of purchase of equipment etc. will be subject to Legal jurisdiction of Rohtas only.

16. Manufacturer of the equipment will be required to furnish a certificate to the effect that they are manufacturer of such and such make and whereas Dealers will have to furnish a certificate issued by the manufacture certifying that M/S such & such is the dealer under brand name of equipment. Without this certificate the tender will not be accepted. The manufacturer should be ISO – 9001/ISO – 14001/BIFMA/& Green Card certification.

17. The company should have the following conditions:

I. Audit balance sheet for last two consecutive financial years and the turn over should be at least 1Crores per annum for previous three consecutive financial years.

II. Income tax return in name of organization/firm for last three Financial Assessment years.

III. Company PAN No.

IV. Copy of GST Registration Certificate & Latest Paid Challan.

V. Copy of authorization letter from original manufacturers.

VI. Literatures and specifications of all the products being quoted.

VII. A judicial affidavit regarding that the firm is not blacklisted by state Government/Central Government.

VIII. Affidavit regarding 12 months on sight warranty at the institute should be produced.

18. The tender should bear all the transportation & insurance risk till delivery point.

19. The tender will have to quote tender in serial order as in the tender Document without modifying/tempering the specification mentioned therein, however for sake of clarity further add-on specification, if any can be mentioned in separate column.

21. **Subdivisional Government Degree College, Nauhatta, Dehri (Rohtas)** will have right to add/alter any terms and conditions as per existing financial/ treasury rules and provisions applicable in the Bihar state if it has not been include/ addressed in the terms and conditions

22. Tender must quote BOQ no./ Money Receipt No. at the top of the Envelope.

23. Purchase committee reserve the right to change the terms & condition for Furniture, if situation so arises.

24. The bidder must mention the period during which materials should be supplied certainly.

Part- II Financial Bid: It must contain the following

Rates per unit must be inclusive of Freight, Taxes and duties, and Transportation charge etc.

i. The bidder is required to fill all the two parts of the documents in the separate sealed Envelopes, which should be super, subscribe as “**TECHNICAL BID**”- For supply of furniture and “**FINANCIAL BID**” – for supply of furniture. The two envelop should be kept in an another separate sealed envelope superscript as “**Tender for supply of furniture**” on the top

The financial bid should be addressed to

Principal

Subdivisional Government Degree College, Nauhatta, Dehri (Rohtas)

All the envelopes must show the name of the supplier, address and contact numbers clearly.

Tender Form

1	Name of Bidder				
2	Name & Designation of Authorized Signatory				
3	Registered office Address				
4	Year of Establishment				
5	Type of Firm	Public Limited	Private limited	Partnership	Proprietary
6	Put Tick () Mark				
7	Telephone No (s) Mobile				
8	Website				
9	Email				

Sr	Details of earnest money deposit	Cheque /DD Number	Dated
1	Cash /DD/Bankers		

Sr	Details of Tender Fee deposit	Cheque /DD Number	Dated
1	Cash /DD/Bankers		

Sr	Tax Clearance certificate	GST/ENTERY TAX	ANY OTHER
	Whether Tax clearance certificate enclosed (Yes/No)		

Schedule wise items for which the bidder has submitted tender

Date

Name / Seal of the Bidder.....

Contact No......

Address of Bidder.....

List of furniture with their specification

ITEM	SPECIFICATION OF ITEMS	QTY	PRICE EACH WITH GST
EXECUTIVE CHAIR	<p>Overall Chair Height ± 15mm 1180 Backrest Height ± 15mm 730 millimeter Backrest Width ± 10mm 550 millimeter Seat Height ± 15 mm 520 Seat Width ± 10 mm 550 Seat Depth ± 10 mm 520 millimeter</p> <p>High back chair, ply inbuilt, wooden base iron frame inbuilt with push pin PU Coated nylon cup wheels, wooden double arms with soft cushion for extra comfort, Ankorea gas lift and PU Laterite tapestry with PU Cushion seat.</p>	1	
EXECUTIVE TABLE	<p>Length of Table Top ± 10(mm) 1800 millimeter Depth of Table Top ± 10(mm) 900 millimeter Height of Table Top ± 10(mm) 750 millimeter Table Top material and thickness ± 3mm 25mm thick Other wood</p> <p>Executive table size: main table: & back unit mm with side computer table, with three drawers</p>	1	
VISTOR CHAIR	<p>Chair Height ± 15(mm) 1050 mm Seat Depth ± 10(mm) 500 mm Seat Width ± 10 (mm) 500 mm Seat Height IN MM ± 5(mm) 430 Backrest Width ± 10(mm) 500 mm Backrest Height ± 10(mm) 500 mm</p> <p>Medium back, visitor chair wooden frame inbuilt with chrome plated pipe frame, PU laterite tapestry.</p>	1	
SOFA THREE SEATER	<p>Seat Thickness ± 2 (mm) 75 millimeter Seat Depth ± 5(mm) 560 millimeter Seat Width ± 5 (mm) 520 millimeter</p> <p>Sofa made with stainless steel , with hand rest , leather tapestry (single seated)</p>	1	
SOFA SINGLE SEATER	<p>Seat Thickness ± 2 (mm) 75 millimeter Seat Depth ± 5(mm) 560 millimeter Seat Width ± 5 (mm) 520 millimeter</p> <p>Sofa made with stainless steel , with hand rest , leather tapestry (single seated)</p>	1	
CENTRE TABLE	<p>Dimension of Top ± 20mm 1219mmX711mm Height of centre table ± 10 mm 585 millimeter Thickness of top material (+/-2 mm) 12 millimeter</p> <p>Made by wooden board</p>	1	
BACK STORAGE	<p>Width of credenza unit ± 20mm 1850 mm Height of credenza unit ± 20 mm 700 mm Depth of credenza unit ± 20mm 410 mm</p> <p>Made by wooden board</p>	1	

DUSTBIN	Bin Capacity (Volume) (Ltrs) 40 Litres	1	
OFFICE CHAIRS	Backrest Height ± 15 mm 730 millimeter Backrest Width ± 10 mm 520 millimeter Seat Height ± 15 mm 450 Seat Width ± 10 mm 520 Seat Depth ± 10 mm 500 millimeter High back, revolving chair, injection molded arms, AnKorean gas lift, chrome plated pipe base, with push pin PU coated nylon wheels and PVC tapestry	1	
VISITOR CHAIR	Chair Height ± 15 (mm) 890 mm Seat Depth ± 10 (mm) 450 mm Seat Width ± 10 (mm) 450 mm Seat Height IN MM ± 5 (mm) 430 Backrest Width ± 10 (mm) 450 mm Backrest Height ± 10 (mm) 470 mm Medium back, visitor chair wooden frame inbuilt with chrome plated pipe frame, PU laterite tapestry.	1	
OFFICE TABLE	Length of Table Top ± 10 (mm)1500 millimeter Depth of Table Top ± 10 (mm)900 millimeter Height of Table Top ± 10 (mm)750 millimeter Office table made by best quality board with PVC edge binding of all side with 03 drawer of one side and one drawer and one cabinet other side	1	
ALMIRAH	Height (Without Pedestal) (in mm) (+/- 10 mm)1800 Width in mm (± 7 mm)1023 millimeter Depth in mm (± 5 mm)480 millimeter Office Almira sheet thickness 0.7 CRC sheet for shelf.8 thick for back. Door shell be made of .8mm thick and all other components shell be made of .9mm thick all made of 22 gauge powder coated paint	1	
FILE CABINET	Overall Height ± 10 (mm)1050 millimeter Width ± 10 (mm)650 millimeter Depth ± 10 (mm)450 millimeter File cabinet (4 compartments) made by best quality CRC steel sheet.	1	
DUAL DESK TWO SEATER	Length of Desking, Seating and Backrest (if provided) in mm (± 10 mm) 1050 Height of Desk Top in mm (± 5 mm) 900 Width of Desk Top in mm (± 5 mm) 400 Dual desk (2 seated) seat back top of 18mm thick pre-laminated board with PVC edge banding all over under structure made up of 1" thick square pipe with back & shelf.	1	
TEACHER TABLE	Table Top Length ± 10 (mm)1500 millimeter Table Top Width ± 10 (mm)750 millimeter Table Height ± 5 (mm)735 millimeter Depth of Storage Unit ± 10 (mm)355 millimeter Office table made by best quality board with PVC edge binding of all side with 03 drawer of one side and one drawer and one cabinet other side,	1	
TEACHER CHAIR	Chair Height ± 15 (mm)950 mm Seat Depth ± 10 (mm)450 mm Seat Width ± 10 (mm)450 mm Seat Height IN MM ± 5 (mm)500 Backrest Width ± 10 (mm)430 mm	1	

	Backrest Height ± 10 (mm)450 mm High back, revolving chair, injection moulded arms, AnKorean gas lift, chrome plated pipe base, with push pin PU coated nylon wheels and PVC tapestry		
GREEN CHALK BOARD/WHITE MARKER BOARD	Dimensions of the Board in feet (width x height)4x 8 Dimensions of Boards in mm x mm (width x height)1200 X 2400 Made by Resin coated steel sheet	1	
DISPLAY BOARD	Width of Board in mm1200 mm Colour(Front/ Display layer)Red Height of Board in mm1800mm	1	
PODIUM	Length of podium top ± 10 mm600 millimetre Depth of podium ± 10 mm500 millimetre Height of podium ± 10 mm1200 millimetre made by pre laminated board	1	
SMART CLASS ROOM/ DIGITAL TEACHING DEVICE	CPU Intel Core I3 Processor Generation 6th RAM (GB)4 RAM upgradable upto (GB)8 Hard Disk Capacity (GB)500 Hard Disk Upgradable upto (GB)1000 Screen Resolution (Pixles)1920 \times 1080 Brightness (NITS) Minimum 250 Operating System (Pre-loaded)Windows 10 Storage/HDD (GB)1024	1	
INTERACTIVE FLAT PANNEL	Display Type LCD Display Panel Diagonal size (mm)1651 Screen Resolution (Pixles)1920 \times 1080 Brightness (NITS) Minimum 250 Operating System (Pre-loaded)Windows 10 Storage/HDD (GB)1024	1	
LIBRARY TABLE	Length in mm (Select NA in case of Round Table) ± 10 (mm)2400 mm Width in mm (Diameter in case of Round Table) ± 10 (mm)1200 Made by pre laminated board	1	
LIBRARY CHAIR	Depth of Seat in mm (+/- 10 mm)400 Height of Seat in mm (+/- 10 mm)440 Width of Seat in mm (+/- 10 mm)400 Visitor chair, round pipe chrome plated frame, injection moulded arms and PU Moulded seat with laterite tapestry and not for extra comfort. Office table made by best quality board with PVC edge binding of all side with 03 drawer of one side and one drawer and one cabinet other side,	1	
TEACHER TABLE	Table Top Length ± 10 (mm)1500 millimetre Table Top Width ± 10 (mm)750 millimetre Table Height ± 5 (mm)735 millimetre Depth of Storage Unit ± 10 (mm)355 millimetre Office table made by best quality board with PVC edge binding of all side with 03 drawer of one side	1	
TEACHER CHAIR	"Chair Height ± 15 (mm)950 mm Seat Depth ± 10 (mm)450 mm Seat Width ± 10 (mm)450 mm Seat Height IN MM ± 5 (mm)500 Backrest Width ± 10 (mm)430 mm	1	

	Backrest Height ± 10 (mm)450 mm "Medium back, visitor chair wooden frame inbuilt with chrome plated pipe frame, PU laterite tapestry		
BOOK CASE	Height of Steel Bookcase in mm (± 10 mm)1675 Width of Steel Bookcase in mm (± 5 mm)914 Depth of Steel Bookcase in mm (± 3 mm)400 mm Book case with three shelves four compartment size made of 20/22 gauge	1	
OPEN RACK	Depth in mm (± 5 mm)300 Width in mm (± 5 mm)900 Height in mm (± 5 mm)1830 Slotted angle rac	1	
NEWS PAPER STAND	Length of podium top ± 10 mm700 millimeter Depth of podium ± 10 mm600 millimeter Height of podium ± 10 mm1200 millimeter Double sided newspaper reading stand made of heavy MS pipe tube with both side laminated platform suitable for comfortable reading.	1	
CONFERENCE TABLE	Length of Table Top ± 10 (mm)900 millimeter Depth of Table Top ± 10 (mm)600 millimeter Height of Table Top ± 10 (mm)750 millimeter Made by pre laminated board	1	
CONFERENCE CHAIR	Chair Height ± 15 (mm)890 mm Seat Depth ± 10 (mm)450 mm Seat Width ± 10 (mm)450 mm Seat Height IN MM ± 5 (mm)460 Backrest Width ± 10 (mm)400 mm Backrest Height ± 10 (mm)400 mm Medium back, revolving chair, injection moulded arms, AnKorean gas lift, chrome plated pipe base, with push pin PU coated nylon wheels and PVC tapestry.	1	
ALMIRAH	Height (Without Pedestal) (in mm) (+/- 10 mm)1800 Width in mm (± 7 mm)1023 millimeter Depth in mm (± 5 mm)430 millimeter Office Almira sheet thickness 0.7 CRC sheet for shelf.8 thick for back. Door shell be made of .8mm thick and all other 78"x36"x19"components shell be made of.9mm thick all made of 22 gauge powder coated paint size :	1	
BOOK CASE	"Height of Steel Bookcase in mm (± 10 mm)1675 Width of Steel Bookcase in mm (± 5 mm)914 Depth of Steel Bookcase in mm (± 3 mm)400 mm" Book case with three shelves four compartment size made of 20/22 gauge	1	
CONFERENCE TABLE 20 SEATER	Length of Each Seat of Work Top ± 20 mm675 mm for single AND 1350 mm For dual Depth of Work Top ± 20 mm600 mm Height of Work Top ± 20 mm750 mm	1	
CONFERENCE CHAIR	Overall Chair Height ± 15 mm1220 Backrest Height ± 15 mm730 millimetre Backrest Width ± 10 mm520 millimetre Seat Height ± 15 mm450 Seat Width ± 10 mm520 Seat Depth ± 10 mm500 millimetre Medium back, revolving chair, injection moulded arms, AnKorean gas lift, chrome plated pipe base, with push pin PU	1	

	coated nylon wheels and PVC tapestry.		
OFFICER CHAIR	Overall Chair Height ± 15 mm 1220 Backrest Height ± 15 mm 730 millimeter Backrest Width ± 10 mm 550 millimeter Seat Height ± 15 mm 520 Seat Width ± 10 mm 520 Seat Depth ± 10 mm 540 millimeter Medium back, revolving chair, injection moulded arms, AnKorean gas lift, chrome plated pipe base, with push pin PU coated nylon wheels and PVC tapestry.	1	
PUBLIC PLACE SEATING CHAIRS	Overall Length in mm (± 10 mm) 1900 Overall Depth in mm (± 5 mm) 450 Overall Height in mm (± 5 mm) 450	1	
WARDEN TABLE	"Table Top Length ± 10 (mm)1500 millimeter Table Top Width ± 10 (mm)750 millimeter Table Height ± 5 (mm)735 millimeter Depth of Storage Unit ± 10 (mm)355 millimeter" Office table made by best quality board with PVC edge binding of all side with 03 drawer of one side ,	1	
WARDEN CHAIR	"Chair Height ± 15 (mm)950 mm Seat Depth ± 10 (mm)450 mm Seat Width ± 10 (mm)450 mm Seat Height IN MM ± 5 (mm)500 Backrest Width ± 10 (mm)430 mm Backrest Height ± 10 (mm)450 mm Medium back, visitor chair wooden frame inbuilt with chrome plated pipe frame, PU Laterite tapestry.	1	
HOSTEL BED	Matress Fixing Length ± 10 (mm)1830 Matress Fixing Width ± 10 (mm)915 Hostel bed made by 1.5 inch square pipe with powder coated paint and bed top made by commercial block board.	1	
STUDENT CHAIR	"Depth of Seat in mm (+/- 10 mm)400 Height of Seat in mm (+/- 10 mm)440 Width of Seat in mm (+/- 10 mm)400" Student chair made by 1" square pipe iron frame with wooden top and seat	1	
STUDENT TABLE	Table Top Length ± 10 (mm)900 millimeter Table Top Width ± 10 (mm)470 millimeter Table Height ± 5 (mm)760 millimeter Study table made by 1" square pipe frame with wooden top and shelf,	1	
LAB STOOL	Dimension of Top (length X Breadth) ± 10 mm 300 mm x 300 mm Height of Stool ± 10 mm 600 mm Made by 1' sq pipe frame with wooden top.	1	
LAB TABLE	Physic lab table only work bench for Physic & Bio island type with all side under storage made by MS CRC Sq. pipe with powder coated top made by decorative block board, size L 2400 mm W 1200 mm H 900 mm	1	
CHEMISRTY	Chemistry Lab table made by Ply board, top made by Granite and finished with sunmica, PVC edge binding of all sided having four cabinet in under side with 02 water tap & sink, size of table L 2400 mm H 900 mm W 1200 mm		
GREEN CHALK BOARD	Made by resin coated steel sheet backed by GI sheet, size 1200x1800 mm	1	

DISPLAY BOARD	"Width of Board in mm1200 mm Colour(Front/ Display layer)Red Height of Board in mm1800mm "	1	
TEACHER TABLE	"Table Top Length ± 10 (mm)1500 millimeter Table Top Width ± 10 (mm)750 millimeter Table Height ± 5 (mm)735 millimeter Depth of Storage Unit ± 10 (mm)355 millimeter" Office table made by best quality board with PVC edge binding of all side with 03 drawer of one side and one drawer and one cabinet other side,	1	
TEACHER CHAIR	"Chair Height ± 15 (mm)950 mm Seat Depth ± 10 (mm)450 mm Seat Width ± 10 (mm)450 mm Seat Height IN MM ± 5 (mm)500 Backrest Width ± 10 (mm)430 mm Backrest Height ± 10 (mm)450 mm Medium back, chair wooden frame inbuilt with chrome plated pipe frame, PU laterite tapestry.	1	
HOSPITAL BED	Length of mattress platform & Overall length of bed ≥ 1900 mm & ≤ 2000 mm Width of mattress platform > 920 mm to 950 mm	1	
STRECHER	Overall Height(If fixed height table)/Minimum Height(If variable height table) ≥ 900 mm to 1000 mm Overall Length > 750 mm to 800 mm Overall Width > 350 mm to 400 mm	1	
BED SIDE TABLE	Overall depth range (mm)375 mm (+/-2.5 %) Overall Width range (mm)425 mm (+/-2.5%) Overall Height range (mm)750 mm (+/- 2.5%)	1	
STOOL	Dimension of Top (length X Breadth) ± 10 mm300 mm x 300 mm Height of Stool ± 10 mm600 mm	1	
CHAIR	"Chair Height ± 15 (mm) 950 mm Seat Depth ± 10 (mm) 450 mm Seat Width ± 10 (mm) 450 mm Seat Height IN MM ± 5 (mm) 500 Backrest Width ± 10 (mm) 430 mm Backrest Height ± 10 (mm) 450 mm Medium back, chair wooden frame inbuilt with chrome plated pipe frame, PU laterite tapestry.	1	
TABLE	"Table Top Length ± 10 (mm)1500 millimeter Table Top Width ± 10 (mm)750 millimeter Table Height ± 5 (mm)735 millimeter Depth of Storage Unit ± 10 (mm)355 millimeter" Office table made by best quality board with PVC edge binding of all side with 03 drawer of one side and one drawer and one cabinet other side,	1	
Sanitary Napkins Vending Machines	Maximum Storage Capacity (Nos)(Nos)50-75	1	
Napkin Incinerator machine	Burning Capacity per day (Number of Napkins)51-100	1	
Air Conditioner(Carrier)	Nominal Capacity (TR)- 2 Tonnes Type of Air Conditioner- High wall Split AC (Hot and Cold) Compressor (Speed Type)- Inverter	1	

	Coil Material (Evaporator/Condensor)- Copper BEE Star Rating- 5 Features- Auto restart,Sleep mode,24 hour On-Off Timer,Power Saver,Turbo cool,Self clean,2-way air swing,4-way air swing,Speed settings,Humidity Control,Active carbon filter,Anti-Bacteria Filter,Cyclotron filter		
Printer	Hp 1005 Printing Technology- Laser Cartridge Technology- composite Duplexing Feature- yes Print/Copy/Scan- yes	1	
Computer	HP 280 G3 SFF i7 8700 Win10P 81283 N220 wifi+ BT ODD Processor Make- Intel, Processor Generation- 8 Processor Number- Intel Core i7 8700 Cache (MB)- 12, Graphic Card Description- UHD 630 Size of VRAM in case of Integrated Graphics (MB)- 128 Operating System (Factory Pre-Loaded)- Windows 10 Professional, RAM Size (GB)- 8, Capacity of each SSD (GB)- 128, Total SSD Capacity (GB)- 128, Optical Drive- DVD R/W Internal Speaker- Yes, Type of Wireless Connectivity- Wi-Fi 802.11ac, Type of Ethernet Ports- 10/100/1000 on board Integrated Gigabit Port, Number of HDMI Ports-2, LED Backlit Monitor Size (INCHES)- 21.5	1	
Photocopier	iR Advance 4525 with Duplex and SPDADF (V2) Type of Machine- Multifunction Machine Cartridge Technology- With Separate Drum and Toner RAM size (MB)- 3072, Hard Disk Capacity(GB)- 250 Scanning/ Duplexing/ Wi-Fi/Networking Feature Availability- Yes, Duty Cycle/Month (Number of Prints)- 95000	1	
Inverter with Battery	2 Kva Inverter+ 2 Battery+ Trolley Rating in KVA & Min. VAH Capacity of Battery- 2 KVA/8640 VAH, Type of Battery- Tubular battery confirming to IS:13369, Backup time (Minutes)- Minimum 180 Minutes	1	
Fax Machine	Printing Technology- Laser, Cartridge Technology- composite, Hard Disk Capacity (GB)- 2, Memory (MB)- 256 Print/ Fax/ Scan/Copy- Yes		
LED TV	Brand:Sony, Screen Size: 52 Inches, Display Technology: LCD, Display Resolution Maximum: Full HD		
Speaker 4.1	Brand: Sony, 80 W power output 5 speaker surround-sound system Powerful Bass with Big size Subwoofer		

